

# TYPE CERTIFICATE



Czech

Registration number 14.112.800

issued by Product Certification Body No. 3084, accredited by the Czech Accreditation Institute in accordance with ČSN EN ISO/IEC 17065:2013 for the manufacturer:

**UAB ŪKĖ**  
**Obenių g. 38**  
**LT-21414 Elektrėnų**  
**Lithuania**

**Company Registration No.: 305440483**

for the product:

Name: **Impact attenuating playground surfacing**  
 Type designation: EE/40/DP; K/45/EPDM; K/45/C/G; EE/60/DP; EE/ 80/DP/EPDM; EE/80/DP  
 Place of the production: see the manufacturer above

at which the certification has been conducted pursuant to certification scheme SCH1a – based on ISO/IEC 17067, scheme 1a and in accordance with TÜV SÜD Czech certification system. The results are stated in Evaluation report file No. 14.112.949 from 23.11.2021.

The product type mentioned above fulfils the applicable requirements of the following regulations/standards which were the basis for its evaluation:

**EN 1177:2018+AC:2019 (equivalent ČSN EN 1177:2018 + opr.1/06.2020),**  
**EN 1176-1:2017 (equivalent ČSN EN 1176-1 ed.2:2018).**

This certificate is valid till: **26.11.2026**

Details and validity conditions are stated in the annex which forms an integral part of this Certificate and contains 2 pages.

This certificate is issued on the basis of voluntary certification, and it does not substitute outputs of the authorized or notified body.

Prague, 26.11.2021



*Aurandruony*  
 Head of the certification body



1. The product specimen was entered for evaluation and type certification on 04.08.2021.
2. The Certificate was issued on the basis of the documents provided by the client:
  - Application for certification from 04.08.2021
3. The certificate does not constitute a confirmation of the Certification Body that subsequent production conforms with the certified type.
4. Detailed technical data characterizing the product type:

Name:	<b>Impact attenuating playground surfacing</b>
Type / Critical fall height:	EE/80/DP/EPDM – 1.82 m
Description:	Dimension 500x500x60 mm, weight 13 kg (made of Rubber mat. Recycled rubber SBR - 48÷45 mm + Single Layer permeable EPDM system - 12÷15 mm, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.
Type / Critical fall height:	K/45/C/G – 1.37 m
Description:	Dimension 500x500x45 mm, weight 6.7 kg (made of Rubber mat. Recycled rubber SBR–100 %, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.
Type/Critical fall height:	K/45/EPDM – 1.42 m
Description:	Dimension 500x500x45 mm, weight 7,6 kg (made of Rubber mat. Recycled rubber SBR - 33÷30 mm + Single Layer permeable EPDM system - 12÷15 mm, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.
Type/Critical fall height:	EE/40/DP – 1.11 m
Description:	Dimension 500x500x40mm, weight 7.6 kg (made of Rubber mat. Recycled rubber SBR-100 %, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.
Type/Critical fall height:	EE/80/DP – 1.60 m
Description:	Dimension 500x500x80 mm, weight 13.7 kg (made of Rubber mat. Recycled rubber SBR -100 %, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.
Type/Critical fall height:	EE/60/DP – 1.38 m
Description:	Dimension 500x500x60 mm, weighs 12.0 kg (made of Rubber mat. Recycled rubber SBR -100 %, Solvent free MDI Based PUR Binder CONOPUR 360). Sports grounds, children's playgrounds. Used for laying on concrete, grass, sand, and on obsolete similar types of coatings.



5. List of important parts of the technical documentation:

- Is stated in the Evaluation Report No. 14.112.949 from 23.11.2021

6. Validity Conditions

- The certificate shall apply only to its holder and products and production places mentioned therein.
- The transfer of the certificate by its owner to third parties is inadmissible as well as the use of certificate by third parties.
- TÜV SÜD Czech shall be notified forthwith of any product modifications compared to the certified specimen. This fact may cause the certificate continuation dependent on an additional conformity evaluation.
- Supervision is not performed.
- The certificate can be renewed on request.
- The certificate shall only be reproduced complete including all the annexes.
- The right to use TÜV SÜD Czech certification mark was not established to the certificate.
- The certificate holder commits to keep records of all the relevant complaints concerning the conformity of the products with the requirements of regulations and standards and make those records available to the certification body TÜV SÜD Czech.
- Not specified items (advertising, use of certificates) are governed by the General Conditions for Product Certification, as amended.



